



The “**Smart**” Choice when it comes to Flue Gas Analysis & Testing Solutions



DC711 - Flue Gas Analyser



Kit shown is DC711-Kit 1 at £695

From **£555** with a multitude of kit options & upgrades available




DC711 - Best of Both Worlds



“To VIEW”



Or not “To VIEW”



- Easy to Use, Durable & Affordable!!
- Domestic or Commercial
- Upgradeable to include NOx sensor
- Upgradeable to include High CO sensor
- Multiple Fuel Options
- Hold, Save, Print & Send
- Clear, Easy to Read Screen
- Easy to Navigate Menu System
- Pressure & Tightness Test feature
- Differential Temperature for Flow & Return or Radiator Balancing

that is the question.....



DC711 - Kits & Upgrades



BP1
£85
exc. VAT

A741BT
£150
exc. VAT

Kits

DC711 Kit	DC711 Analyser, Probe & Charger in Padded Carry Case	£555
DC711 Kit 1	As DC711 Kit PLUS A741BT Wireless Printer	£695
DC711-View Kit	View enabled Analyser, Probe & Charger in Padded Carry Case	£630
DC711-View Kit 1	As DC711-View Kit PLUS A741BT Wireless Printer	£770

Upgrades

DC711-HCO	Add High CO (replacement for standard CO)	£150
DC711-NO	Add NOx (in addition to O2 and CO sensors)	£250
BP1-Up	Replace standard Padded Carry Case for Multi-Purpose, Multi Tool Back Pack	£50
View-Up	Upgrade cost to enable VIEW app remote connectivity	£75

Essential Accompanying Kit Options

Choose from a range of complimentary instruments & accessories to build you own kit



A770-A
£80
exc. VAT

Angled Sampling Probe

- Angled for insertion into hard to reach flue test points
- Comes with A796 Water Stop Filtration System as used on ALL TPI FGAs for over 10 years
- Use with DC710 & DC711 Kits



725L
£45
exc. VAT

Pocket Gas Sniffer

- Detect & Trace combustible gas leaks
- Flexible neck for hard to reach areas
- 40ppm sensitivity
- Easy to use, single button w/ Visual & Audible Indicators



50
£19
exc. VAT

AC Volt Alert Tester Stick

- Non-Contact
- 50 to 1,000 Volts
- Audible & Visual Indicators
- Determine the presence or absence of AC voltage without disconnecting the system in question



368
£22
exc. VAT

IR Close Focus Temperature

- Non-Contact Thermometer
- -22°C to 120°C range
- Measure surface temperature without contacting with the surface
- Data hold, Min/Max & Scan
- Pocket size with carrystrap



CPK3
£95
exc. VAT

CPA1 Probe Kit

- Use on a range of open flued, room sealed and flueless appliances
- Use to sample combustion products from cookers, grills and flueless appliances as described in BS7967:2005



CK21M/Pair
£30^{.00}
exc. VAT

Pair of Pipe Temperature Probes

- Works with the DC710, DC711 and SP341 Kits
- Jaw Opening suitable for Pipes up to 22m
- -50°C to 250°C range
- 1 metre coiled cable length w/ "K" type sub-mini connector



Easy return & tracking of Annual Service through the TPI Customer Portal at

tpieurope.com

For the FULL range of TPI solutions & Accessories visit: -

www.tpieurope.com